
NOTES

- 1. SYSTEM INSTALLS BOTTOM TO TOP, LEFT TO RIGHT.
- 2. ACTUAL DIMENSIONS FOR RAINSCREEN ACM PANELS TO BE DETERMINED IN FIELD.
- 3. FRAMING SHOWN IS AN <u>EXAMPLE</u> ONLY. ACTUAL SUPPORT TO BE VERIFIED IN FIELD.
- 4. ALL FASTENERS MUST PENETRATE 3/4" MIN. THROUGH SUBSTRATE AND FRAMING.

THIS DETAIL IS GENERAL IN NATURE AND WILL BE MODIFIED TO MEET JOB SPECIFIC CONDITIONS



1 HORIZONTAL JOINT DETAIL
D1 REF. ARCH. DET. -

FASTENER DESIGNATIONS **DESCRIPTION IMAGE** 1/4"-14x 2 1/2" TEK-3 STAINLESS STEEL SCREW #8-18x1" PHIL FLAT SELF DRILL #3 PT SCREW #10x 3/4" PANCAKE HEAD SCREW * (1000 HRS OF CORROSION RESISTANT COATING IN ACCORDANCE WITH ASTM B117) MATERIAL DESIGNATIONS MARK **DESCRIPTION** BOTTOM STARTER EXTRUSION - CONTINUOUS (DIE # - ____) 2 TOP STARTER EXTRUSION - CONTINUOUS (DIE # - ____) BOTTOM MID CLIP EXTRUSION - CONTINUOUS (DIE # - ____) TOP MID CLIP EXTRUSION - CONTINUOUS (DIE # - ____) TERMINATION EXTRUSION - CONTINUOUS (DIE # - ____) BEMO "40 MIL HT MEMBRANE 1/4" PLASTIC HORSESHOE SHIM **EXTERIOR SHEATHING** (BY OTHERS) OVER SUBSTRATE / CONTINUOUS ALONG BOTTOM OF PANEL **FRAMING** RAINSCREEN ACM (BY OTHERS) PANEL SYSTEM **EXTERIOR SHEATHING** 1 1/2" WIDE (BY OTHERS) **REVEAL STRIP** SHIM AS REQUIRED CONTINUOUS ALONG TOP OF PANEL ISOMETRIC VIEW [NOTE: ISOMETRIC VIEW IS FOR VISUALIZATION ONLY - OBJECTS NOT TO SCALE]



DRAWN:		DD AMAL DV		DATE
Diamin.		DF	RAWN BY	DATE
CHECKED:		CHECKED BY		DATE
PROJE	CT NUN	MBER:	####	
A				
<u>6</u>				
<u>\$</u>				
4				
<u>3</u>				
<u> </u>				
\triangle				
NO.	REVI	SION / I	SSUE	DATE
DWG T				
	HORI	ZONT	AL JO	INT

SCALE 1' = 1'-0"	DWG NO.	
REV	D1	